



The UCM is a simple, cost effective, yet versatile cleaning head that can be applied in many diverse locations and orientations

Used solo, it provides single sided surface particulate contamination removal and capture of rollers and webs.

The UCM can be doubled up to provide double sided cleaning of webs.

Many different mounting methods possible






The UCM HD is the heavy duty cleaning head for wider and higher speed applications.

The UCM HD is a simple, cost effective, yet versatile cleaning head that can be applied in many diverse locations and orientations

Used solo, it provides single sided surface particulate contamination removal and capture of rollers and webs.

The UCM HD can be doubled up to provide double sided cleaning of webs.

Many different mounting methods possible



An example of an UCM HD Cleaning Head, 1300mm cleaning width


The UCM HD is the heavy duty cleaning head for wider and higher speed applications.

The UCM HD is a simple, cost effective, yet versatile cleaning head that can be applied in many diverse locations and orientations

Used solo, it provides single sided surface particulate contamination removal and capture of rollers and webs.

The UCM HD can be doubled up to provide double sided cleaning of webs.


Many different mounting methods possible



The UCM HD Feeder is a narrow profile cleaning head for mounting onto feeders and conveyors.


It provides single sided cleaning


It incorporates a roller to support the workpiece during the surface contaminant removal process




The UCM SDDS is essentially two UCM Cleaning heads joint together and motorised to provide a very cost effective, narrow profile, in-line cleaning solution


Telescopic slides can be incorporated to allow the cleaning machine to be drawn out of line for service and maintenance









The NWDS is a narrow web cleaner (up to 620mm web width) that provides cleaning on both sides of the web It is intended to be face mounted onto a web process machine and has pull out Contamination Entrapment Rolls for uninterrupted servicing. It also opens for access to the web







The NWSS is a narrow web cleaner (up to 620mm web width) that provides cleaning on one side of the web and incorporates a support roller It is intended to be face mounted onto a web process machine and has pull out Contamination Entrapment Rolls for uninterrupted servicing. It also opens for access to the web

